

**CLAIM AMENDMENTS:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method comprising:
  - answering a call from a calling party in a Voice over Internet Protocol (VoIP) format at a premises of a called party;
  - saving at least a portion of a message as an electronic audio file, wherein the message is received from the calling party via the call;
  - identifying an electronic mail address associated with the calling party by comparing caller identification (ID) information received to a contact list, wherein the caller ID information is received with the call;
  - preparing an electronic mail message in response to recognizing that the message has been received, wherein the electronic mail message includes the electronic mail address associated with the calling party;
  - attaching the electronic audio file to the electronic mail message;
  - addressing the electronic mail message to a plurality of recipients ~~an email server~~ associated with a unified messaging mailbox of the called party; and
  - initiating sending of the electronic mail message and the attached electronic audio file from the premises to ~~[[the]]~~ an email server,
- wherein the email server appends the electronic mail message to a ~~summary~~ file in an order that the electronic mail message is received, the ~~summary~~ file ~~indicating~~ including received electronic mail messages, and
- wherein the email server sends a copy of the ~~summary~~ file to an email client in response to the email server receiving a request from the email client to view the received electronic mail messages.

2. (Previously Presented) The method of claim 1, further comprising:  
disconnecting from the call;  
prompting a modem to dial a telephone number associated with an Internet Service  
Provider;  
recognizing that a connection exists with the Internet Service Provider; and  
outputting information representing the electronic mail message for delivery via the  
connection.

3-7. (Cancelled).

8. (Previously Presented) The method of claim 1, further comprising:  
determining that a data connection exists; and  
utilizing the data connection to send the electronic mail message.

9. (Previously Presented) The method of claim 1, wherein the electronic mail message  
comprises a multi-modal message having an audio component and a non-audio component.

10. (Previously Presented) The method of claim 1, wherein a format of the electronic  
audio file is one of a Waveform (.WAV) format, a Moving Picture Experts Group (MPEG)  
Audio Layer 3 (MP3) format, a Musical Instrument Digital Interface (.MIDI) format, and an  
Audio Units (.AU) format.

11.-20. (Cancelled).

21. (Currently Amended) A method of facilitating unified messaging, the method comprising:

- communicatively coupling a messaging device to a premises network that is
  - communicatively coupled to a wide-area communication network, the wide-area communication network comprising an Internet Protocol network; and
- employing the messaging device to:
  - answer an incoming telephone call from a calling party;
  - play a pre-recorded message ~~that prompts to~~ the calling party ~~to leave a message~~;
  - record a ~~voice~~ message from the calling party, wherein the message has an audio portion and a visual portion;
  - compare caller identification (ID) information received with the incoming telephone call to a contact list to identify an email address associated with the calling party;
  - compose an electronic mail message in response to the ~~voice~~ message, wherein the electronic mail message includes the email address associated with the calling party;
  - attach an ~~audio~~ at least one file representing the ~~voice~~ message to the electronic mail message; and
  - initiate sending of the electronic mail message to an email server via the wide-area communication network,
- wherein the email server appends the electronic mail message to a ~~summary~~ file in an order that the electronic mail message is received, the ~~summary~~ file ~~indicating~~ including received electronic mail messages, and
- wherein the email server sends a copy of the ~~summary~~ file to an email client in response to the email server receiving a request from the email client to view the received electronic mail messages.

22. (Previously Presented) The method of claim 21, further comprising executing code directing a computer to store a username and a password in a memory associated with the messaging device, to indicate a messaging address for an intended recipient of the electronic mail message, and to indicate an identifier of a remote messaging server communicatively coupled to the wide-area communication network.

23. (Previously Presented) The method of claim 21, further comprising:  
determining that a data connection exists interconnecting the premises network and a  
node of the wide-area communication network; and  
utilizing the data connection to send the electronic mail message.

24. (Original) The method of claim 21, further comprising:  
disconnecting from the incoming telephone call;  
prompting a modem to dial a telephone number associated with an Internet Service  
Provider;  
recognizing that a connection exists with the Internet Service Provider; and  
utilizing the connection to send the electronic mail message.

25. (Previously Presented) The method of claim 21, wherein a format of the audio file is one of a Waveform (.WAV) format, a Moving Picture Experts Group (MPEG) Audio Layer 3 (MP3) format, a Musical Instrument Digital Interface (.MIDI) format, and an Audio Units (.AU) format.

26-28. (Cancelled).

29. (Currently Amended) A computer-readable medium storing computer-readable instructions that, when executed by a processor, cause the processor to:

- answer an incoming telephone call from a calling party via an Internet Protocol network;
- play a pre-recorded message that prompts the calling party to leave ~~[[an]]~~ audio ~~portion of a message~~ and that prompts the calling party to include non-audio data ~~with the message~~;
- record a ~~voice~~ message from the calling party, wherein the message has an audio portion and a visual portion;
- obtain an email address associated with the calling party by comparing caller identification (ID) information to a contact list, wherein the caller ID information is received with the incoming telephone call;
- compose an electronic mail message in response to the ~~voice~~ message, wherein the electronic mail message includes the email address associated with the calling party;
- attach ~~an audio~~ at least one file representing the ~~voice~~ message to the electronic mail message; and
- initiate sending of the electronic mail message to an email server, wherein the email server appends the electronic mail message to a ~~summary~~ file in an order that the electronic mail message is received, the ~~summary~~ file ~~indicating~~ including received electronic mail messages, and wherein the email server sends a copy of the ~~summary~~ file to an email client in response to the email server receiving a request from the email client to view the received electronic mail messages.

30. (Previously Presented) The computer-readable medium of claim 29, wherein a format of the audio file is one of a Waveform (.WAV) format, a Moving Picture Experts Group (MPEG) Audio Layer 3 (MP3) format, a Musical Instrument Digital Interface (.MIDI) format, and an Audio Units (.AU) format.

31. (Cancelled).

32. (Currently Amended) A messaging system, comprising:  
a network interface responsive to an Internet Protocol network to receive a call;  
a call answering mechanism to:  
    answer the call;  
    prompt a calling party to leave an audio portion of a message; and  
    prompt the calling party to leave a ~~non-audio~~ visual portion of the message; and  
a messaging engine to:  
    obtain an email address associated with the calling party by comparing caller  
        identification (ID) information to a contact list, wherein the caller ID  
        information is received with the call;  
    compose an electronic mail message that includes the audio portion of the  
        message, the ~~non-audio~~ visual portion of the message, and the email  
        address associated with the calling party; and  
    transmit the electronic mail message to an email server,  
    wherein the email server appends the electronic mail message to a ~~summary~~ file  
        in an order that the electronic mail message is received, the ~~summary~~ file  
        indicating including received electronic mail messages, and  
    wherein the email server sends a copy of the ~~summary~~ file to an email client in  
        response to the email server receiving a request from the email client to  
        view the received electronic mail messages.

33. (Currently Amended) The messaging system of claim 32, wherein the ~~non-audio~~ visual portion comprises a text message.

34. (Currently Amended) The messaging system of claim 32, wherein the ~~non-audio~~ visual portion comprises a visual message, wherein the visual message is not a textual message.

35-36. (Cancelled).

37. (Previously Presented) The method of claim 1, further comprising preparing a reply electronic mail message, wherein an outgoing address line of the reply electronic mail message is automatically populated with the email address associated with the calling party.

38. (Previously Presented) The method of claim 37, wherein the reply electronic mail message is prepared in response to receipt of the electronic mail message by a user.

39. (Previously Presented) The method of claim 37, wherein the outgoing address line of the reply electronic mail message is automatically populated in response to a user-generated reply request.

40. (Previously Presented) The method of claim 9, wherein the non-audio component includes a visual message, wherein the visual message is not a textual message.

41. (Previously Presented) The method of facilitating unified messaging of claim 21, further comprising preparing a reply electronic mail message, wherein an outgoing address line of the reply electronic mail message is automatically populated with the email address associated with the calling party.

42. (Previously Presented) The computer-readable medium of claim 29, further storing computer-readable instructions that, when executed by the processor, cause the processor to prepare a reply electronic mail message, wherein an outgoing address line of the reply electronic mail message is automatically populated with the email address associated with the calling party.

43. (Previously Presented) The messaging system of claim 32, wherein the messaging engine is further to prepare a reply electronic mail message, wherein an outgoing address line of the reply electronic mail message is automatically populated with the email address associated with the calling party.

44. (Currently Amended) The method of claim 1, wherein the email client saves the ~~summary~~ file at a local machine that is used to access the email server, and wherein the email server deletes the file after the file is sent to the email client.

45. (Currently Amended) The method of claim 1, wherein the email client parses the ~~summary~~ file into separate electronic mail messages in response to a user selection.

46. (Currently Amended) The method of claim 21, wherein the email client saves the ~~summary~~ file at a local machine that is used to access the email server.

47. (Currently Amended) The method of claim 21, wherein the email client parses the ~~summary~~ file into separate electronic mail messages in response to a user selection.

48. (Currently Amended) The method of claim 29, wherein the email client saves the ~~summary~~ file at a local machine that is used to access the email server.

49. (Currently Amended) The method of claim 29, wherein the email client parses the ~~summary~~ file into separate electronic mail messages in response to a user selection.